




BOLLARDS




ABBOT BOLLARD

- Aluminium Extruded Body.
- Cast Aluminium Base Plate for Surface Mounting
- Imported UV Stabilised Opal Acrylic Lens or Clear Lens With Baffle
- Fitting can be Plinth Mounted or Planted with Longer Body
- Cast Aluminium Top Cover

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W
High Pressure Sodium	E27	70W
Metal Halide	G12	35W or 70W
LED		20W- 3270 lm

ASH-BOL-001 IP44




PETITE 2 BOLLARD

- Aluminium Extruded Body or Galvanised Steel.
- Imported UV Stabilised Clear Acrylic Lens With Anti-Glare Baffle
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W or 46W
LED	LED	22W- 2425 lm

ASH-BOL-002 IP44




PETITE 3 BOLLARD

- Aluminium Extruded Body or Galvanised Steel
- Imported UV Stabilised Opal or Frost Lens
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W or 46W
LED	LED	22W- 2425 lm

ASH-BOL-003 IP44




PETITE 4 BOLLARD

- Aluminium Extruded Body, Cast Aluminium Base Plate
- Imported UV Stabilised Opal or Clear Acrylic Lens
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W or 46W
LED E-27 L/H	LED	7W

ASH-BOL-004 IP44



BOLLARDS




GIO BOLLARD

- Aluminium Extruded Body
- Cast Aluminium Domed Top & Base Flange
- UV Stabilised Opal Acrylic Lens or Clear Acrylic with Anti-Glare Baffle in 180 & 200ø
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W(ø200)
High Pressure Sodium	E27	70W
Metal Halide	G12	35W or 70W
LED		20W-3270 lm

ASH-BOL-005 IP44




PLATO BOLLARD

- Aluminium Extruded Body
- Cast Aluminium Flat Top & Base Flange
- UV Stabilised Opal Acrylic Lens or Clear Acrylic with Anti-Glare Baffle in 180 & 200ø
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W(ø200)
High Pressure Sodium	E27	70W
Metal Halide	G12	35W or 70W
LED		20W-3270 lm

ASH-BOL-006 IP44




PLATO OPAL BOLLARD

- Aluminium Extruded Body
- Cast Aluminium Flat Top & Base Flange
- UV Stabilised Opal Acrylic Lens or Clear Acrylic with Anti-Glare Baffle in 180 & 200ø
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W(ø200)
High Pressure Sodium	E27	70W
Metal Halide	G12	35W or 70W
LED		20W-3270 lm

ASH-BOL-007 IP44




CANDLE BOLLARD

- Aluminium Extruded Body & Cast Aluminium Top & Base Flange
- Access Door
- Imported UV Stabilised Opal Acrylic Lens
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Fluorescent	T5	28W or 39W or 54W
LED Strip	LED	Up to 36W 4040LM

ASH-BOL-008 IP44



BOLLARDS




MONTANA BOLLARD

- Aluminium Extruded Body
- Aluminium Top & Base Flange
- Aluminium Reflector
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W OR 40W
LED	LED	LED 20-30W

ASH-BOL-009 IP44




BENTLEY BOLLARD

- Galvanised Steel Body & Base Plate or Aluminium Extrusion
- Imported UV Stabilised Opal Acrylic Perspex
- Mounting Height 0,9M - 2,3M
- Plinth Mounted
- Access Door

Lamp	Base	Wattage
Fluorescent	G5	28W, 39W, 54W, 80W
LED	LED	UP TO 85W-14450 lm

ASH-BOL-010 IP44




BENTLEY 2 BOLLARD

- Galvanised Steel Body & Base Plate
- Imported UV Stabilised Opal Acrylic Perspex
- Mounting Height 0,9M - 2,3M
- 1-2-3 or 4 windows
- Plinth Mounted
- Access Door

Lamp	Base	Wattage
Fluorescent	G5	28W, 39W, 54W, 80W
LED	LED	UP TO 35W PER SIDE 7W-85W-14450 lm max

ASH-BOL-011 IP44




LINK 2 BOLLARD

- Aluminium Extruded Body or Galvanised Steel.
- Cast Aluminium Top & Mild Steel Base Plate
- Imported UV Stabilised Clear Acrylic Lens With Anti-Glare Baffle
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W, 26W
LED	LED	UP TO 36W-4450 lm

ASH-BOL-012 IP44



BOLLARDS




MINI TORRO BOLLARD

- Extruded Aluminium Body
- Cast Aluminium Top & Base Flange
- UV Stabilised Clear or Opal Acrylic Lens
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	26W , 46W
LED	LED	7W
		GU-10-7W

ASH-BOL-013 IP44




SPLINTER BOLLARD

- Aluminium extrusion 190X80 Body Base Plate
- Imported UV Stabilised Opal Acrylic Lens
- Plinth Mounted
- Access Door

Lamp	Base	Wattage
Fluorescent	G5	28W, 39W, 54W, 80W
LED	LED	up to 85W / side

ASH-BOL-014 IP44




SPLINTER 2 WAY BOLLARD

- Aluminium extrusion 190X80 Body Base Plate
- Imported UV Stabilised Opal Acrylic Lens
- Plinth Mounted
- Access Door

Lamp	Base	Wattage
Fluorescent	G5	28W, 39W, 54W, 80W
LED	LED	up to 85W / side

ASH-BOL-015 IP44




SATEAL INDIRECT BOLLARD

- Galvanized or Aluminium extrusion Body
- LM 6 Aluminium Shade and Arms
- Surface or Planting Mount

Lamp	Base	Wattage
Mercury Vapour	G24	13W, 18W or 23W
High Pressure Sodium	E27	70W
Metal Halide	G12	35W - 70W
LED	LED	up to 30W

ASH-BOL-016 IP44



POST TOPS




CURVE POST TOP

- LM6 Die Cast Aluminium Spigot & Arms
- Aluminium Extrusion Body & Shade
- Clear Toughened 4mm Glass Lens
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry
- Symmetrical or Asymmetrical Light Distribution

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	70W 100W 150W
LED	LED	up to 30W

ASH-PST-001 IP54




DISCOVERY POST TOP

- LM6 Die Cast Aluminium Body & Shade
- Also available in smaller version with a 500mm shade
- Control gear in pole only.
- UV Stabilised Clear & Smokey with baffle or Opal Acrylic Lens
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W 150W ø 101
Metal Halide	G12	70W 100W 150W ø 101
LED		20W - 85W

ASH-PST-002 IP54




UNIVERSITY POST TOP

- LM6 Die Cast Aluminium Spigot, Spun Shade
- Polycarbonat frost lens
- Fitting can be Wall, Pedestal or Pole MOUNTED
- 76ø Spigot Entry
- Symmetrical or Asymmetrical Light Distribution

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	35W 70W 100W 150W
LED	LED	up to 30W
LED		20W - 45W

ASH-PST-003 IP54




UNICORN POST TOP

- Aluminium Extruded Body
- Cast Aluminium Top and Arms
- Fitting can be Plinth Mounted or Planted with Longer Body

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W, 26W
LED	LED	up to 30W

ASH-PST-004 IP54



POST TOPS




RIVERSIDE 1 POST TOP

- LM6 Die Cast Aluminium Flat Top and Gallery
- Cast Aluminium Shade
- Imported UV Stabilised Clear Lens ø200mm with Baffle or Opal Acrylic Lens ø200mm
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	35W 70W 100W 150W
LED		20-45W

ASH-PST-005 IP54




RIVERSIDE 2 POST TOP

- LM6 Die Cast Aluminium Flat Top and Gallery
- Spun Aluminium Shade
- Imported UV Stabilised Clear Lens ø200mm with Baffle or Opal Acrylic Lens ø200mm
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	35W 70W 100W 150W
LED		20-45W

ASH-PST-006 IP54




MINI RIVERSIDE POST TOP

- LM6 Die Cast Aluminium Flat Top and Gallery
- Cast Aluminium Shade
- Imported UV Stabilised Clear Lens ø200mm with Baffle or Opal Acrylic Lens ø200mm
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	35W 70W 100W 150W

ASH-PST-007 IP54




CANDLE LIGHT POST TOP

- LM6 Die Cast Aluminium Flat Top and Gallery
- Imported UV Stabilised Clear Lens ø200mm with Baffle or Opal Acrylic Lens ø200mm
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125 W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	35W 70W 100W 150W
LED		20-45W

ASH-PST-008 IP54



POST TOPS




MONTANA POST TOP

- Fitting can be Wall, Pedestal or Pole Mounted
- Symmetrical or Asymmetrical Light Distribution

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	35W 70W 100W 150W
LED		30W

ASH-PST-009 IP54




SATEAL POST TOP

- LM6 Die Cast Aluminium Spigot, Arm Segments & Shade
- Aluminium Extrusion Body • Indirect Light
- Available with 500mm or 650mm cast aluminium shade
- Fitting can be Wall, Pedestal or Pole Mounted • 76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W 150W
Metal Halide	G12	35W 70W 100W 150W
LED		30W

ASH-PST-010 IP54




BASKET POST TOP

- LM6 Die Cast Aluminium Spigot & Frame
- Frame 350mm or 450mm
- Opal Polyethylene Lens
- Fitting can be Wall, Pedestal or Pole Mounted
- 60mm or 76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W
Metal Halide	G12	35W 70W 100W 150W
LED	E27	Base Lamp

ASH-PST-011 IP54




SUN CITY POST TOP

- 400mm Clear Acrylic Lens.
- Aluminium Anti-glare Baffle
- Fitting can be Wall, Pedestal or Pole Mounted
- 60mm or 76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	26W
Mercury Vapour	E27	80W
High Pressure Sodium	E27/E40	70W or 100W
Metal Halide	G12	35W 70W 100W 150W
LED	E27	Base Lamp

ASH-PST-012 IP54



POST TOPS




METRO LANTERN POST TOP

- LM6 Die Cast Aluminium Body, Shade & Spike
- Clear or Sandblasted Glass Panels
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	2x18W or 2x26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W 150W 250W
Metal Halide	G12	70W 100W 150W 250W
LED direct or indirect		85W

ASH-PST-013 IP54





PARLIAMENT LANTERN POST TOP

- LM6 Die Cast Aluminium Body, Shade & Spike
- Clear or Sandblasted Glass Panels
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	2x18W or 2x26W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27/E40	70W 100W 150W 250W
Metal Halide	G12	70W 100W 150W 250W
LED direct or indirect		85W

ASH-PST-014 IP54




HESS LANTERN POST TOP

- LM6 Die Cast Aluminium Body, Shade & Spike
- Clear or Sandblasted Glass Panels
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	2x18W or 2x26W
Mercury Vapour	E27	80W or 125 W
High Pressure Sodium	E27/E40	70W 100W 150W 250W
Metal Halide	G12	70W 100W 150W 250W
LED direct or indirect		20-85W

ASH-PST-015 IP54




MELROSE LANTERN POST TOP

- LM6 Die Cast Aluminium Body, Shade
- Clear or Sandblasted Glass Panels
- Fitting can be Wall, Pedestal or Pole Mounted
- 76ø Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	2x18W or 2x26W
Mercury Vapour	E27	80W or 125 W
High Pressure Sodium	E27/E40	70W 100W 150W 250W
Metal Halide	G12	70W 100W 150W 250W
LED direct or indirect		20-85W

ASH-PST-016 IP54



SUSPENDED FITTINGS




MERC HIBAY

- Powder Coated Spun Aluminium Gear Housing
- Perforated Galvanised Steel Ring Around Gear Housing
- 22" Acrylic or Spun Aluminium Reflector, Bright or Natural Anodised
- Suspended from Ceiling with Steel Wire Rope

Lamp	Base	Wattage
Mercury Vapour	E40	250W 400W
High Pressure Sodium	E40	250W 400W
Metal Halide	E40	250W 400W
LED		20-150W

ASH-INS-001 IP20

Side View




HIBAY 22"

- Powder Coated Domed Aluminium Gear Housing
- 22" Acrylic or Spun Aluminium Reflector
- Suspended 1M Stainless Steel Wire & Cord with Plastic Ceiling Cup (Black or White)

Lamp	Base	Wattage
Mercury Vapour	E40	250W 400W
High Pressure Sodium	E40	250W 400W
Metal Halide	E40	250W 400W
LED		20-150W

ASH-INS-002 IP20



Side View




HIBAY 16"

- Powder Coated Domed Aluminium Gear Housing
- 16" Acrylic or Spun Aluminium Reflector
- Suspended 1M Stainless Steel Wire & Cord with Plastic Ceiling Cup (Black or White)

Lamp	Base	Wattage
Compact Fluorescent	PL	2x26W ECG
Compact Fluorescent	G24	1x26W or 2x26W
Mercury Vapour	E40	250W
High Pressure Sodium	E40	250W
Metal Halide	E40	250W
LED		20-100W

ASH-INS-003 IP20

Side View




HIBAY 12"

- Powder Coated Domed Aluminium Gear Housing
- 12" Acrylic or Spun Aluminium Reflector
- Suspended 1M Stainless Steel Wire & Cord with Plastic Ceiling Cup (Black or White)

Lamp	Base	Wattage
Compact Fluorescent	PL	1x26W ECG
Compact Fluorescent	G24	1x26W or 2x9W ECG
LED		20W P.C Board
LED	E27	Lamp Base

ASH-INS-004 IP20



Side View



SUSPENDED FITTINGS




MANHATTAN

- LM6 Die Cast Aluminium Shade
- UV Stabilised High Impact Clear Acrylic Diffuser
- Fitting May Be Wall or Pole Mounted
- Asymmetrical and Symmetrical Reflector

Lamp	Base	Wattage
Mercury Vapour	E40	250W or 400W
High Pressure Sodium	E40	250W or 400W
Metal Halide	E40	250W or 400W
LED		20W-85W

ASH-INS-005 IP65

Side View




BELL

- Spun Aluminium Body & Shade
- Option of Glass Bowl or Polycarbonate Lens
- Fitting may be Wall, Pole Mounted or Suspended
- Suspended 1M Stainless Steel Wire & Cord with Plastic Ceiling Cup (Black or White)

Lamp	Base	Wattage
Compact Fluorescent	E27	ø300 shade up to 60W
Mercury Vapour	E27	ø350 shade up to 80W
Mercury Vapour	E27	ø465 shade up to 125W
Metal Halide	E27	ø670 shade up to 250W
LED	20W	P.C board
LED	E27	Lamp Base

ASH-INS-006 IP44



Side View




FLACO

- LM6 Die Cast Aluminium Knob & Extruded Aluminium Body
- UV Stabilised High Impact Opal Lens.
- Suspended 1M Stainless Steel Wire & Cord with Plastic Ceiling Cup (Black or White)

Lamp	Base	Wattage
Fluorescent	G5	28W 39W 54W 80W
LED		10.8 W/m 24VDC ribbon

ASH-INS-007 IP20

Side View Top View




BENMORE

- Spun Aluminium Top & Bottom Cover
- Set of Stainless Steel Decorative Rings
- UV Stabilised High Impact Opal Lens
- Suspended 1m Stainless Steel Wire & Cord with Plastic Ceiling Cup (Black or White)
- Top and Bottom Ventilated

Lamp	Base	Wattage
Fluorescent	G5	2x28W or 2x39W
		2x54W or 2x80W
Metal Halide Extra Down Light	E27	35W - 70W
LED		10.8 W/m 24V ribbon
		luminaire board up to 16000 lm

ASH-INS-008 IP20



Top View



Side View



WALL MOUNTED FITTINGS




GEMINI

- Available as ø76 (GU 10 only) ø90-ø127
- Cast Aluminium Rings And Extruded Aluminium Body
- Toughened Clear Glass Lens • Fitting May be Wall or Pole Mounted
- Up & Down Light • Fitting Has an Option of Cowl to Reduce Glare
- Shorter Body Available. Size can be changed to suit application.

Lamp	Base	Wattage
Compact Fluorescent	G24	13W or 18W or 26W
Metal Halide	G12	35W or 70W
LED	LED	up to 2x30W
LED	LED	10-30W/side

ASH-WAL-001 IP54




PISCES

- CNC Formed and Welded Mild Steel Body - Galvanised and Powder Coated
- Toughened Glass Lens Clear or Sand Blasted
- Fitting May be Wall or Pole Mounted
- Up & Down Light
- Shorter Body Available. Size can be changed to suit application
- 100x100 Aluminium extrusion body available

Lamp	Base	Wattage
Compact Fluorescent	G24	13W or 18W or 26W
Metal Halide	G12	35W or 70W
LED	LED	up to 2x30W
LED (for 100x100 body)	LED	up to 2x20W

ASH-WAL-002 IP54




UNO

- Cast Aluminium Ring and Extruded Aluminium Body
- Toughened Clear Glass Lens • Fitting May be Wall, Pole or Ceiling Mounted
- Up or Down Light • Fitting Has an Option of Cowl to Reduce Glare
- Smaller Body Available ø70-ø90-ø127

Lamp	Base	Wattage
Compact Fluorescent	G24	13W or 18W or 26W
Metal Halide	G12	35W or 70W
LED	LED	up to 2x30W

ASH-WAL-003 IP54




MINI MONTANA

- Aluminium Arms, Rings & Shade
- Extruded Aluminium Body • Clear Toughened Glass
- Fitting is Wall or Pole Mounted • Symmetrical or Asymmetrical Light Distribution

Lamp	Base	Wattage
Compact Fluorescent	G24	18W or 26W
Mercury Vapour	E27	80W
High Pressure Sodium	E27	70W
Metal Halide	G12	35W or 70W or 100W
LED	LED	up to 30W

ASH-WAL-004 IP54



WALL MOUNTED FITTINGS




SLIMLINE BULKHEAD

- LM6 Die Cast Aluminium Body & Frame
- Polycarbonate Clear and Opal Lens or Polyethylene Anti-vandal Lens
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Compact Fluorescent	PL	2x13W
Compact Fluorescent	G24	2x26W or 3x18W
LED	PL	7W-20W

ASH-WAL-005 IP44





QUATRO 2 BULKHEAD

- Mild Steel Galvanised Body & Cover
- UV Stabilised Opal Acrylic Perspex
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Compact Fluorescent	PL	13W or 18W or 26W
Compact Fluorescent	G24	2x26W or 3x18W
LED		2x7W Lamps or 20W P.C Board

ASH-WAL-006 IP44




QUATRO BULKHEAD

- Mild Steel Galvanised Body & Cover
- UV Stabilised Opal Acrylic Perspex
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Compact Fluorescent	PL	13W or 18W or 26W
Compact Fluorescent	G24	2x26W or 3x18W
LED		2x7W Lamps or 20W P.C Board

ASH-WAL-007 IP44




SOUTH D BULKHEAD

- LM6 Die Cast Aluminium Body & Cover
- UV Stabilised Opal Acrylic Perspex
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Compact Fluorescent	PL	13W or 18W or 26W
Compact Fluorescent	G24	2x26W or 3x18W
LED		20W P.C Board

ASH-WAL-008 IP44



WALL MOUNTED FITTINGS




CLASSIC SHADE

- LM6 Die Cast Aluminium Body & Frame or Spun Aluminium Shade
- Polyethylene Lens or Glass Bowl
- Available shade sizes 300mm & 460mm
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Compact Fluorescent	G24	18W or 26W
Mercury Vapour	E27	80W
High Pressure Sodium	E27	70W
LED	E27	Base lamp or PC Board

ASH-WAL-013 IP54




WHARF

- Galvanised and Powder Coated Mild Steel Body & Frame
- Spun Aluminium Shade
- Glass Bowl
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Metal Halide	G12	70W
Mercury Vapour	E27	80W or 125W
High Pressure Sodium	E27	70W
LED	E27	Base Lamp

ASH-WAL-014 IP54




PETITE 2

- Aluminium Extruded Body
- Cast Aluminium Top and Back Plate
- Imported UV Stabilised Clear Acrylic Lens With Anti-Glare Baffle

Lamp	Base	Wattage
Compact Fluorescent	G24	13W or 18W or 26W
LED	LED	up to 30W

ASH-WAL-015 IP54




BELL SHADE

- Aluminium Body & Shade
- Option of Glass Bowl or Polyethylene Lens
- Available shade sizes 350mm & 465mm
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Compact Fluorescent	G24	18W or 26W
Mercury Vapour	E27	80W
High Pressure Sodium	E27	70W
LED	E27	Base Lamps

ASH-WAL-016 IP54



WALL MOUNTED FITTINGS





BERMUDA 1 BULKHEAD

- Stainless Steel or Electroplated Mild Steel Body & Cover
- UV Stabilised Opal Acrylic Perspex or Toughened Glass
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Mercury Vapour	E27	80W
Compact Fluorescent	G24	2x18W or 2x26W
High Pressure Sodium	E27	70W
LED	E27	Base Lamps

ASH-WAL-009 IP44




BERMUDA 2 BULKHEAD

- Stainless Steel or Electroplated Mild Steel Body & Cover
- UV Stabilised Opal Acrylic Perspex or Toughened Glass
- Fitting is Wall or Ceiling Mounted

Lamp	Base	Wattage
Mercury Vapour	E27	80W
Compact Fluorescent	G24	2x18W or 2x26W
High Pressure Sodium	E27	70W
LED	E27	Base Lamps

ASH-WAL-010 IP44




MERC BULKHEAD

- LM6 Die Cast Aluminium Frame
- Galvanised Mild Steel Back Plate
- Polyethylene Opal Lens
- Fitting is Wall Mounted

Lamp	Base	Wattage
Mercury Vapour	E27	80W
Compact Fluorescent	G24	2x18W or 2x26W
High Pressure Sodium	E27	70W
LED	E27	Base Lamps
LED	20W	P.C Board

ASH-WAL-011 IP44




MERC 2 BULKHEAD

- LM6 Die Cast Aluminium Frame
- Galvanised Mild Steel Back Plate
- Polyethylene Opal Lens
- Fitting is Wall Mounted

Lamp	Base	Wattage
Mercury Vapour	E27	80W
Compact Fluorescent	G24	2x18W or 2x26W
High Pressure Sodium	E27	70W
LED	E27	Base Lamps
LED	20W	P.C Board

ASH-WAL-012Z IP44



G.L.E FITTINGS




SPHERE ON STAND

- Galvanised Steel Body & Base Plate
- Opal Polyethylene lens.
- Aluminium or ABS Gallery for ø60mm or ø76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	13W, 18W or 23W
LED	E27	Base Lamps

ASH-GLE-001 IP44




SPHERE WALL BRACKET

- Galvanised and Powder Coated Wall Bracket
- Opal Polyethylene lens
- Aluminium or ABS Gallery
- ø60mm or ø76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	13W, 18W or 23W
LED	E27	Base Lamps

ASH-GLE-002 IP44




BASKET ON STAND

- Galvanised and Powder Coated Steel Pillar and Frame
- Opal Polyethylene lens
- ABS Gallery
- ø60mm or ø76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	13W, 18W or 23W
LED	E27	Base Lamps

ASH-GLE-003 IP44




BASKET WALL BRACKET

- Galvanised Steel Frame and Wall Bracket
- Opal Polyethylene lens
- ABS Gallery
- ø60mm or ø76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	13W, 18W or 23W
LED	E27	Base Lamps

ASH-GLE-004 IP44



G.L.E FITTINGS



DECORE BASKET ON STAND

- Galvanised and Powder Coated Steel Pillar and Frame
- Opal Polyethylene lens.
- ABS Gallery
- ø60mm or ø76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps



DECORE BASKET WALL BRACKET

- Galvanised and Powder Coated Steel Wall Bracket and Frame
- Opal Polyethylene lens.
- ABS Gallery
- ø60mm or ø76mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps



V100

- Galvanised and Powder Coated Steel Body
- Opal Polyethylene lens.
- ABS Gallery
- ø60mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps




MONZO


- Galvanised and Powder Coated Steel Body
- Opal Polycarbonate lens.
- Aluminium or ABS Gallery
- ø60mm Spigot Entry

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps


ASH-GLE-005 IP44




ASH-GLE-006 IP44



ASH-GLE-007 IP44



ASH-GLE-008 IP44



G.LE FITTINGS



BENZO

- Galvanised and Powder Coated Steel Body
- Opal Polyethylene lens.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps



DIAMOND

- Galvanised and Powder Coated Steel Body
- Opal Polyethylene lens.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps



LURIE

- Galvanised and Powder Coated Steel Body
- Opal Polyethylene lens.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps




TULIP


- Galvanised and Powder Coated Steel Body
- Opal Polyethylene lens.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps


ASH-GLE-009 IP44




ASH-GLE-010 IP44



ASH-GLE-011 IP44



ASH-GLE-012 IP44



G.L.E FITTINGS




STABLE

- Galvanised and Powder Coated Steel Body
- Glass Bowl.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps

ASH-GLE-013 IP44

Side View




TORGE

- Galvanised and Powder Coated Steel Body
- Opal Polyethylene lens.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps

ASH-GLE-014 IP44



Side View




V200

- Galvanised and Powder Coated Steel Body
- Opal Polyethylene lens.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps

ASH-GLE-015 IP44

Side View




ROYAL

- Galvanised and Powder Coated Steel Body
- Opal Polycarbonate lens.
- ABS Gallery

Lamp	Base	Wattage
Compact Fluorescent	G24	13W, 18W or 23W
Compact Fluorescent	E27	up to 60W
LED	E27	Base Lamps


ASH-GLE-016 IP44



Side View




STRAIGHT PLANTING POLES



SPECIALITY POLES


BENTLY POLE



ASH-SP-001

- Aluminium extrusion 190mm X 80mm or 150mmX50mm
- Rectangular Tubing 160mm X 80mm
- Galvanised and Powder Coated Steel
- Plinth Mounted or Planted
- Mounting Heights 3M - 6M
- Available in Single or Double Arm
- Arm can be fixed at 0° or 15°
- Bolt Cage required for plinth mounting
- Fixed Door at 700mm from Base


Lamp	Base	Wattage
Compact Fluorescent	G24	2x26W or 1x42W
Metal Halide	G12	150W
LED	LED	UP TO 85W/side




Base Plate Detail

For w/s A:80 B:160
For Aluminium A:80 B:190

Bolt Cage M12 up to 5m



STRAIGHT SURFACE POLES




SPECIALITY POLES

CURVED POLE




ASH-SP-002

- Galvanised steel
- Plinth Mounted or Planted
- Mounting Height 6m- 9m
- Available in Single or Double Arm
- Bolt Cage Required for Plinth mounting

Base Plate Detail



Bolt Cage M12-M20




SPECIALITY POLES

CAMERA POLE



ASH-SP-003

- Round Tubing $\varnothing 152\text{mm}$
- Galvanised steel
- Safety Loop for Maintenance
- Steel Housing 450mm X 450mm
- Plinth Mounted
- Available in 4-6M Mounting Heights
- Bolt Cage required for plinth mounting

Base Plate Detail



Bolt Cage M24



SPECIALITY POLES


TWIN POLE



ASH-SP-004

- Rectangular Tubing 160mm x 80mm m/s or 100x100 aluminium
- Galvanised and Powder Coated Steel
- Plinth Mounted or Planted
- Available in 4-6M Mounting Heights
- Bolt Cage required for Plinth mounting
- Fixed Door at 700mm from Base
- Available as single or double

Base Plate Detail



Bolt Cage M20

